

HIGH PRESSURE PLUNGER PUMPS

HAWK SERIES

FLOW RATE : 04 to 150 LPM
PRESSURE : 50 to 500 BAR



TRI-PLEX[®]

JETTECH SYSTEMS



HW SERIES PUMP SELECTION

Pump Model	Flow Rate (LPM)	Pressure (Bar)	Motor H.P. (50Hz)	Inlet Connection (BSP)	Outlet Connection (BSP)	Oil Capacity (Ltr.)	Bare Pump Weight (Kg.)
FOG 04.10	04	100	01	1/2"	3/8"	0.25	5.6
FOG 08.10	08	100	03	1/2"	3/8"	0.25	5.6
NHD 04.12	04	120	1.5	1/2"	3/8"	0.4	6.6
NHD 06.12	06	120	02	1/2"	3/8"	0.4	6.6
NHD 85.12	8.5	120	03	1/2"	3/8"	0.4	7.3
NHD 85.15	8.5	150	03	1/2"	3/8"	0.4	7.3
NHD 10.12	10	120	03	1/2"	3/8"	0.4	7.3
NHD 10.20	10	200	05	1/2"	3/8"	0.4	7.3
NHD 12.15	12	150	05	1/2"	3/8"	0.4	7.3
NHD 14.15	14	140	05	1/2"	3/8"	0.4	7.3
	14	80	03				
NPM 15.25	15	250	10	1/2"	3/8"	0.4	10.3
	15	180	7.5				
NMT 21.20	21	200	12.5	1/2"	3/8"	0.7	10.3
	21	180	10				
	21	130	7.5				
	21	90	5				
PXI 11.50	11	500	15	1/2"	3/8"	1.2	19.5
PXI 15.50	15	500	20	1/2"	3/8"	1.2	19.5
PXI 17.35	17	350	15	1/2"	3/8"	1.2	19.5
	17	275	12.5				
	17	400	20				
PXI 21.50	21	500	30	1/2"	3/8"	1.2	19.6
	21	350	20				

HW SERIES PUMP SELECTION

Pump Model	Flow Rate (LPM)	Pressure (Bar)	Motor H.P. (50Hz)	Inlet Connection (BSP)	Outlet Connection (BSP)	Oil Capacity (Ltr.)	Bare Pump Weight (Kg.)
NLT 30.20	30	190	15	1/2"	3/8"	1.2	15.2
	30	155	12.5				
	30	125	10				
	30	90	7.5				
XLT 80.30	18	300	15	1/2"	3/4"	1.2	17.8
XLT 25.30	25	300	20	1/2"	3/4"	1.2	17.8
XLT 50.15	50	150	20	1/2"	3/4"	1.2	17.8
XLT 43.17	43	170	20	1/2"	3/4"	1.2	17.8
XXT 55.20	55	200	30	1"	3/4"	1.12	18.4
XXT 70.15	70	150	30	1"	3/4"	1.12	18.4
	70	130	25				
	70	100	20				
	70	80	15				
MPX 30.50	30	500	40	3/4"	1/2"	2.3	34.5
	30	320	30				
MXT 10.15	100	150	40	1-1/4"	3/4"	2.3	32.5
GXT 15.15	150	150	60	1-1/2"	1"	5.5	67.5
GXT 17.12	170	120	52.4	1-1/2"	1"	5.5	67.5
TXT 22.14	220	140	80	2"	1-1/4"	5.5	74.5
GXX 24.10	24	1000	60	1"	24x1.5"	5.5	78

MATERIAL OF CONSTRUCTION

Main Body	: High Strength Aluminum Alloy Die Cast
Crankshaft	: Forged, Hardened & Ground-Alloy Steel
Plunger	: Ceramic (<0.20 Ra)
Plunger Seal	: Durable Fiber - Impregnated Buna-N-Seal
Cylinder	: Brass Forged
Valve Assembly	: Stainless Steel
Oil	: 10W40
Working Fluid Temp.	: 60 C (150 F)



Industrial Tube Cleaning

Boiler Cleaning

Hydro Testing

Wet Sand Blasting

Surface Preparation

Paint Removing

Reactor Cleaning

Car Washing

Sewer Jetting

Fire Fighting



ACCESSORIES



GUN NOZZLE



ROTATING NOZZLE



VAN NOZZLE



HI-LOW NOZZLE



TUBE CLEANING NOZZLE



UNLOADER VALVE



SAFETY VALVE



TRIGGER GUN



SAND BLASTING UNIT



SAND BLASTING UNIT



FLEXIBLE LANCE



RUBBUR HOSE



SS RIGID LANCE



FILTER



MUD SUCTION UNIT



PRESSURE GAUGE



FOAMING BOTTLE



H.P. TEE



ROTATING NOZZLE



ROTATING NOZZLE



DUMP GUN



ADEPTOR



FOOT OPERATING VALVE

PUMP SPARES



OIL SEAL KIT



PLUNGER



COMP. VALVE KIT



WATER SEAL KIT



COMP. VALVE KIT



CRANK SHAFT



SUPPORT RING



PUMP HEAD



MAIN BODY



COMP. SEAL KIT



CONNECTING ROAD



CHEMICAL INJECTOR



BEARING COVER



PUMP SPARES



NON RETURN VALVE



O-RING

SYSTEMS



**CAR WASHER
WITH PETROL ENGINE**



**PXI 21.50
WITH TANK**



SEWER JETTING SYSTEM



**350 BAR
WET SAND BLASTING**



PXI 17.35



MPX 30.50



**NPM 15.25
WITH ROOF TOP**



**NMT 21.20
FLP SYSTEM**



PXI 15.50 WITH TANK



NHD 08.10



**SINGLE PHASE
NHD 10.15**



FOG 04.10



NHD 14.15

OUR VALUED PATRONS



SP-500 Bar



SJ-700 Bar



VM-1000 Bar



SP-1200 Bar



TRII-PLEX
JETTECH SYSTEMS

Mfg. High Pressure Tri-Plex Plunger Pumps and Equipment, Hydro Test Pump, Hydro Blasting / Jetting Systems, Other make High Pressure pump services, H.P. Pump's Spares and Accessories

50, Vrundavan Ind. Estate, Ramol-CTM Road, Nr. Ramol Ring Road toll Plaza, Ramol, Ahmedabad-382449

Phone : 8000 99 2352

✉ : triiPLEXjettechsystems@gmail.com | sales@triiPLEXjettechsystems.com

www.triiPLEXjettechsystems.com